



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended August 31, 1901, from 81 observers indicate that inflammation of bowels, remittent fever, and influenza were more prevalent and tonsillitis and whooping cough were less prevalent than in the preceding week. Cerebro-spinal meningitis was reported present at 2, whooping cough at 11, measles at 12, diphtheria at 18, smallpox at 39, scarlet fever at 56, enteric fever at 100, and phthisis pulmonalis at 192 places.

MISSOURI—*St. Louis*.—Month of July, 1901. Census population, 575,200—white, 538,200; colored, 37,000. Total number of deaths, 1,295—white, 1,179; colored, 116—including diphtheria, 24; enteric fever, 13; measles, 2; scarlet fever, 2; whooping cough, 21, and 155 from tuberculosis.

NEW JERSEY—*Hudson County*.—Month of July, 1901. Estimated population, 386,048. Total number of deaths, 1,028, including diphtheria, 14; enteric fever, 6; measles, 1; scarlet fever, 6; whooping cough, 5, and 71 from phthisis pulmonalis.

NEW YORK—*Yonkers*.—Month of June, 1901. Estimated population, 50,000. Total number of deaths, 69, including diphtheria, 1; smallpox, 3, and 10 from phthisis pulmonalis.

Month of July, 1901. Total number of deaths, 79, including smallpox, 5, and 8 from phthisis pulmonalis.

NORTH CAROLINA—*Charlotte*.—Month of August, 1901. Census population, 18,091. Total number of deaths, 37, including diphtheria, 1; enteric fever, 2, and 3 from whooping cough.

OHIO—*Toledo*.—Month of July, 1901. Estimated population, 150,000. Total number of deaths, 168, including diphtheria, 2; enteric fever, 3; measles, 1; whooping cough, 2, and 14 from tuberculosis.

RHODE ISLAND—*Newport*.—Month of August, 1901. Estimated population, 23,000. Total number of deaths, 38, including 3 from phthisis pulmonalis.

*Report of immigration at Baltimore for the week ended August 31, 1901.*

OFFICE OF COMMISSIONER OF IMMIGRATION,  
*Port of Baltimore, August 31, 1901.*

August 30, steamship *Gera*, from Bremen, with 903 immigrants.  
August 31, steamship *Rowanmore*, from Liverpool, with 1 immigrant.

PERCY C. HENNIGHAUSEN,  
*Commissioner.*